

AMENDMENT-1 (TECHNICAL CLARIFICATIONS)

Date: 05.12.2025

This has reference to the E-Tender No. **SLPP/Civil/PUF/Labour Colony/2025 ((n)Procure Tender ID: 244350)** issued for “Surat Lignite Power Plant - 4X125 MW, Unit # I to IV: Turnkey contract for Design, Engineering, Supply & Procurement, manufacture, fabrication, transportation, erection and alignment of the Pre-fabricated structure with PUF (Polyurethane Foam) Panels for Construction of Labour Colony (Year: 2025-26)”.

Please note the following amendment and interested / participating bidders are requested to bid accordingly:

CLAUSE NO. 2.4 AND 4.0 OF SECTION-D SPECIAL CONDITIONS OF CONTRACT (Page No. 53 second para and Page No. 57 of Tender)

Tender No. SLPP/Civil/PUF/Labour Colony/2025 ((n)Procure Tender ID: 244350) dated 21.11.2025 with Bid submission period up to 11.12.2025, 17:30 hrs.		
PARTICULARS	EXISTING STATEMENT	MODIFIED STATEMENT
Clause No. 2.4 of Section-D Special Conditions of Contract (Second para on Page No. 53 of Tender).	All Windows shall be provided with GI Mosquito Net, standard fittings & hardware accessories (Handles, Tower Bolts, Peg Stay, etc...).	All Windows shall be provided with SS (Stainless Steel) 304 Woven Wire Mesh Mosquito Net, 0.40mm hole, 1mm thickness along with standard fittings & hardware accessories (Handles, Tower Bolts, Peg Stay, etc...).
Clause No. 4.0 of Section-D Special Conditions of Contract (STANDARD MAKES OF MATERIALS), Sr. No. 6 (Page No.57 of Tender).	Window shall be made up of Standard powder coated (Anodized) aluminum section with Glass, Openable shutter type Window Size 1000x1000 mm having 4mm thick Float Glass with grill & SS mosquito net.	Window shall be made up of Standard extruded aluminum section having Anodized (AC15 grade) of approved colour shade with Glass, Openable shutter type Window Size 1200mm x 900mm having 4mm thick approved Float Glass with approved MS grill & SS mosquito net (SS 304) as per clause no. 2.4 of Section-D.